



UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE
United States Patent and Trademark Office
Address: COMMISSIONER FOR PATENTS
P.O. Box 1450
Alexandria, Virginia 22313-1450
www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
-----------------	-------------	----------------------	---------------------	------------------

10/821,589

04/09/2004

Yosuke Hosoya

09792909-5854

1893

26263

7590

03/17/2009

SONNENSCHN NATH & ROSENTHAL LLP

P.O. BOX 061080

WACKER DRIVE STATION, SEARS TOWER

CHICAGO, IL 60606-1080

EXAMINER

CANTELMO, GREGG

ART UNIT

PAPER NUMBER

1795

MAIL DATE

DELIVERY MODE

03/17/2009

PAPER

Please find below and/or attached an Office communication concerning this application or proceeding.

The time period for reply, if any, is set in the attached communication.

Office Action Summary	Application No. 10/821,589	Applicant(s) HOSOYA ET AL.	
	Examiner Gregg Cantelmo	Art Unit 1795	

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address --

Period for Reply

A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) OR THIRTY (30) DAYS, WHICHEVER IS LONGER, FROM THE MAILING DATE OF THIS COMMUNICATION.

- Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication.
- If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication.
- Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133). Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).

Status

- 1) ☒ Responsive to communication(s) filed on 09 February 2009.
- 2a) ☒ This action is **FINAL**. 2b) ☐ This action is non-final.
- 3) ☐ Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under *Ex parte Quayle*, 1935 C.D. 11, 453 O.G. 213.

Disposition of Claims

- 4) ☒ Claim(s) 1-3,5 and 6 is/are pending in the application.
- 4a) Of the above claim(s) _____ is/are withdrawn from consideration.
- 5) ☐ Claim(s) _____ is/are allowed.
- 6) ☒ Claim(s) 1-3,5 and 6 is/are rejected.
- 7) ☐ Claim(s) _____ is/are objected to.
- 8) ☐ Claim(s) _____ are subject to restriction and/or election requirement.

Application Papers

- 9) ☐ The specification is objected to by the Examiner.
- 10) ☐ The drawing(s) filed on _____ is/are: a) ☐ accepted or b) ☐ objected to by the Examiner.
Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).
Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).
- 11) ☐ The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.

Priority under 35 U.S.C. § 119

- 12) ☐ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
- a) ☐ All b) ☐ Some * c) ☐ None of:
1. ☐ Certified copies of the priority documents have been received.
 2. ☐ Certified copies of the priority documents have been received in Application No. _____.
 3. ☐ Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)).

* See the attached detailed Office action for a list of the certified copies not received.

Attachment(s)

- | | |
|--|---|
| 1) <input type="checkbox"/> Notice of References Cited (PTO-892) | 4) <input type="checkbox"/> Interview Summary (PTO-413) |
| 2) <input type="checkbox"/> Notice of Draftsperson's Patent Drawing Review (PTO-948) | Paper No(s)/Mail Date. _____ |
| 3) <input type="checkbox"/> Information Disclosure Statement(s) (PTO/SB/08) | 5) <input type="checkbox"/> Notice of Informal Patent Application |
| Paper No(s)/Mail Date _____ | 6) <input type="checkbox"/> Other: _____ |

DETAILED ACTION

Response to Amendment

1. In response to the amendment received February 9, 2009:
 - a. Claims 1-3 and 5-6 are pending;
 - b. The prior art rejections stand as modified in light of the amendment.

Claim Rejections - 35 USC § 103

The text of those sections of Title 35, U.S. Code not included in this action can be found in a prior Office action.

2. Claim 1 is rejected under 35 U.S.C. 103(a) as being unpatentable over JP '643 in view of either U.S. Patent Application Publication No. 2005/0153205 (Hisashi), U.S. Patent Application Publication No. 2004/0058245 (Fujimoto), U.S. Patent Application Publication No. 2002/0136955 (Park) or JP 2001-015101 (JP '101).

JP '643 discloses a positive active material comprising: particles of a compound oxide of lithium and a transition metal 1 (figures and paragraphs 10 and 24) having an inherent layered structure thereby permitting the intercalation/deintercalation of lithium during charging/discharging and a coating layer on the active material 1 wherein the coating layer comprises an inorganic lithium compound 4 (paragraphs 10 and 23) and a carbonaceous conductive material 3 (paragraph 10 and 23 as applied to claim 1). The inorganic compound 4 is a lithium compound (paragraph 23 as applied to claim 1). The weight ratio of the particles 1 to the coating 2/3/4 teaches of particle weights of 10 grams relative to about 1 gram of coating material (see examples for weight ratios).

Art Unit: 1795

Thus JP '643 teaches that the weight ratio of the particles will clearly be at least 70% but less than 98% relative to the coating layer 2/3/4 (as applied to claim 1).

JP '643 does not teach that the product is a mechanofused coating.

Mechanofusion processes for coating active materials does not represent a novel contribution to the art and such process modifications would have been well within the skill of the ordinary worker in the art.

Hisashi teaches of using mechanofusion to apply a shell coating to an active material particle (para. 46). Fujimoto also recognized the use of mechanofusion systems for fabricating active material in batteries (paras. 19, 21, 24, 25). JP '151 recognized the use of a mechanofusion process to coat a core active particle used as an active material in a battery (abstract and Figs. 1-3). Park also recognized the use of mechanofusion systems for fabricating active material in batteries (fig. 10 and para. 35).

Mechanofusing a surface coating onto a base particle for active materials is well recognized in the art by at least the teachings of Hisashi, Fujimoto, JP '151 and Park and would have provided a variety of recognized benefits. In the process, particles are introduced into a mechanofusion system such as that shown in Fig. 10 of Park.

Particles are then trapped between the wall and a rotating inner head; the shearing force the particles experience in this gap causes them to fuse together. The resulting partially fused (coated) particles are constantly recycled to obtain uniform surface coverage. When used for encapsulating electroactive particles the process encourages the formation of encapsulated electroactive particles having improved adhesion

Art Unit: 1795

between the coating and the base and also a more uniform aspect ratio, as the shearing force also smoothes the finished particles.

Therefore it would have been obvious to one of ordinary skill in the art at the time the claimed invention was made to modify the teachings of JP '643 by forming the coating on the core particles using a mechanofusion process as suggested by either Hisashi, Fujimoto, JP '151 or Park since it would have provided a shell having improved adhesion between the core and the coating.

3. Claim 2 is rejected under 35 U.S.C. 103(a) as being unpatentable over JP '643 in view of either Hisashi, Fujimoto, JP '151 or Park as applied to claim 1 above, and further in view of Yamaura, Takada or Mohwald.

The difference between claim 2 and JP '643 is that JP '643 does not teach of the inorganic material being either lithium iron phosphate or lithium phosphate.

Essentially JP '643 teaches of coating lithium metal oxide base particles with a mixture of an inorganic conducting material and an electron conducting material.

While the inorganic conducting materials taught by JP '643 are not inclusive of either lithium iron phosphate or lithium phosphate, JP '643 does teach that the inorganic material is a lithium ion conductive inorganic solid electrolyte material (see abstract).

Thus one of ordinary skill in the art would have reasonably appreciated that the inorganic material coated on the positive electrode active material could reasonably be any known teach that the inorganic material is a lithium ion with a reasonable expectation that any such combination would effectively operate in the desired manner taught by JP '643, absent clear evidence to the contrary.

Art Unit: 1795

Each of lithium iron phosphate and lithium phosphate are art recognized ion conductive materials used in lithium secondary batteries as shown by either Yamaura (col. 5, ll. 33-37); Takada (col. 1, ll. 32-55); or Mohwald (col. 4, ll. 43-65). Thus it would have been apparent to one of ordinary skill in the art to use either lithium iron phosphate or lithium phosphate as an alternative ion conducting inorganic material coated onto the positive electrode since the primary reference teaches that it is generally known to coat lithium metal oxide base particles with a mixture of a lithium ion conducting inorganic material and an electron conducting material and since the specific inorganic materials of lithium iron phosphate and lithium phosphate are art recognized ion conductive materials used in lithium secondary batteries as shown by either Yamaura, Takada, or Mohwald.

Therefore it would have been obvious to one of ordinary skill in the art at the time the claimed invention was made to modify the teachings of JP '643 by selecting the lithium ion conducting inorganic material to be either lithium iron phosphate or lithium phosphate since such materials are art recognized lithium ion conducting inorganic materials as shown by either Yamaura, Takada, or Mohwald and one of ordinary skill in the art would have found such a modification to have provided the predictable result of providing a coating to the positive active material having both the requisite electron conducting and lithium ion conducting properties. The selection of a known material based on its suitability for its intended use supported a prima facie obviousness determination in *Sinclair & Carroll Co. v. Interchemical Corp.*, 325 U.S. 327, 65 USPQ

Art Unit: 1795

297 (1945). See also *In re Leshin*, 227 F.2d 197, 125 USPQ 416 (CCPA 1960). MPEP § 2144.07.

4. Claim 3 is rejected under 35 U.S.C. 103(a) as being unpatentable over JP '643 in view of either Hisashi, Fujimoto, JP '151 or Park as applied to claim 1 above.

The difference between claim 3 and JP '643 is that JP '643 does not teach of the weight ratio between the inorganic material to the carbonaceous material being between 99:1 and 60:40.

While JP '643 discloses providing both an inorganic component 4 and carbon component 3 in a coating material to a positive active material 1, the disclosure does not specifically teach of the ratio of these two materials, however it is clear that there is an inherent ratio between these two components.

Varying the amount of each of components 2, 3 and 4 of the coating layer are recognizable optimizable components. One of ordinary skill in the art would have recognized that by varying the amount of carbon in the film, the electronic conductivity of film would vary accordingly. One of ordinary skill in the art would have also recognized that by varying the amount of the inorganic lithium compound in the film, the ionic conductivity of the film would vary accordingly. Adjusting the ratios of both materials will optimize the ionic and electronic conductivity of the film and selection of the claimed ratio would have been obvious to one of ordinary skill in the art since it would have provided a coating which exhibited optimal ionic and electronic conductivities.

Therefore it would have been obvious to one of ordinary skill in the art at the time the claimed invention was made to modify the teachings of JP '643 by adjusting the ratios of both the carbon component and inorganic component of the film of JP '643 within the ratio defined in claim 3 since the optimization of these would have been a recognized result-effective variable which could have been optimized since it would have provided a coating which exhibited optimal ionic and electronic conductivities.

Generally, differences in ranges will not support the patentability of subject matter encompassed by the prior art unless there is evidence indicating such ranges is critical. In re Boesch, 617 F.2d 272, 205 USPQ 215 (CCPA 1980). In re Aller, 220 F.2d 454, 456, 105 USPQ 233, 235 (CCPA 1955). In re Hoeschele, 406 F.2d 1403, 160 USPQ 809 (CCPA 1969). It has been held that when the difference between a claimed invention and the prior art is the range or value of a particular variable, then a prima facie rejection is properly established when the difference in the range or value is minor. Titanium Metals Corp. of Am. v. Banner, 778 F.2d 775, 783, 227 USPQ 773, 779 (Fed. Cir. 1985).

5. Claims 5-6 are rejected under 35 U.S.C. 103(a) as being unpatentable over JP '643 in view of either Hisashi, Fujimoto, JP '151 or Park and further in view of either U.S. Patent No. 4,668,594 (Yamaura); U.S. Patent No. 5,958,281 (Takada) or U.S. Patent No. 6,475,663 (Mohwald).

JP '643 discloses a positive active material comprising: particles of a compound oxide of lithium and a transition metal 1 (figures and paragraphs 10 and 24) having an inherent layered structure thereby permitting the intercalation/deintercalation of lithium

Art Unit: 1795

during charging/discharging and a coating layer on the active material 1 wherein the coating layer comprises an inorganic lithium compound 4 (paragraphs 10 and 23) and a carbonaceous conductive material 3 (paragraph 10 and 23 as applied to claim 5). The inorganic compound 4 is a lithium compound (paragraph 23 as applied to claim 5). The weight ratio of the particles 1 to the coating 2/3/4 teaches of particle weights of 10 grams relative to about 1 gram of coating material (see examples for weight ratios). Thus JP '643 teaches that the weight ratio of the particles will clearly be at least 70% but less than 98% relative to the coating layer 2/3/4 (as applied to claim 5).

JP '643 discloses a nonaqueous secondary battery comprising: a negative active material and a positive active material comprising: particles of a compound oxide of lithium and a transition metal 1 (figures and paragraphs 10 and 24) having an inherent layered structure thereby permitting the intercalation/deintercalation of lithium during charging/discharging and a coating layer on the active material 1 wherein the coating layer comprises an inorganic lithium compound 4 (paragraphs 10 and 23) and a carbonaceous conductive material 3 (paragraph 10 and 23 as applied to claim 5).

JP '643 does not specify that the inorganic material is either lithium iron phosphate or lithium phosphate (claim 5) or the weight ratio between the inorganic material to the carbonaceous material being between 99:1 and 60:40 (claim 6).

Regarding the inorganic material being either lithium iron phosphate or lithium phosphate (claim and 5):

Essentially JP '643 teaches of coating lithium metal oxide base particles with a mixture of an inorganic conducting material and an electron conducting material.

Art Unit: 1795

While the inorganic conducting materials taught by JP '643 are not inclusive of either lithium iron phosphate or lithium phosphate, JP '643 does teach that the inorganic material is a lithium ion conductive inorganic solid electrolyte material (see abstract). Thus one of ordinary skill in the art would have reasonably appreciated that the inorganic material coated on the positive electrode active material could reasonably be any known teach that the inorganic material is a lithium ion with a reasonable expectation that any such combination would effectively operate in the desired manner taught by JP '643, absent clear evidence to the contrary.

Each of lithium iron phosphate and lithium phosphate are art recognized ion conductive materials used in lithium secondary batteries as shown by either Yamaura (col. 5, ll. 33-37); Takada (col. 1, ll. 32-55); or Mohwald (col. 4, ll. 43-65). Thus it would have been apparent to one of ordinary skill in the art to use either lithium iron phosphate or lithium phosphate as an alternative ion conducting inorganic material coated onto the positive electrode since the primary reference teaches that it is generally known to coat lithium metal oxide base particles with a mixture of a lithium ion conducting inorganic material and an electron conducting material and since the specific inorganic materials of lithium iron phosphate and lithium phosphate are art recognized ion conductive materials used in lithium secondary batteries as shown by either Yamaura, Takada, or Mohwald.

Therefore it would have been obvious to one of ordinary skill in the art at the time the claimed invention was made to modify the teachings of JP '643 by selecting the lithium ion conducting inorganic material to be either lithium iron phosphate or lithium

Art Unit: 1795

phosphate since such materials are art recognized lithium ion conducting inorganic materials as shown by either Yamaura, Takada, or Mohwald and one of ordinary skill in the art would have found such a modification to have provided the predictable result of providing a coating to the positive active material having both the requisite electron conducting and lithium ion conducting properties. The selection of a known material based on its suitability for its intended use supported a prima facie obviousness determination in *Sinclair & Carroll Co. v. Interchemical Corp.*, 325 U.S. 327, 65 USPQ 297 (1945). See also *In re Leshin*, 227 F.2d 197, 125 USPQ 416 (CCPA 1960). MPEP § 2144.07.

Regarding the weight ratio between the inorganic material to the carbonaceous material being between 99:1 and 60:40 (claim 6):

While JP '643 discloses providing both an inorganic component 4 and carbon component 3 in a coating material to a positive active material 1, the disclosure does not specifically teach of the ratio of these two materials, however it is clear that there is an inherent ratio between these two components.

Varying the amount of each of components 2, 3 and 4 of the coating layer are recognizable optimizable components. One of ordinary skill in the art would have recognized that by varying the amount of carbon in the film, the electronic conductivity of film would vary accordingly. One of ordinary skill in the art would have also recognized that by varying the amount of the inorganic lithium compound in the film, the ionic conductivity of the film would vary accordingly. Adjusting the ratios of both materials will optimize the ionic and electronic conductivity of the film and selection of

Art Unit: 1795

the claimed ratio would have been obvious to one of ordinary skill in the art since it would have provided a coating which exhibited optimal ionic and electronic conductivities.

Therefore it would have been obvious to one of ordinary skill in the art at the time the claimed invention was made to modify the teachings of JP '643 by adjusting the ratios of both the carbon component and inorganic component of the film of JP '643 within the ratio defined in claim 6 since the optimization of these would have been a recognized result-effective variable which could have been optimized since it would have provided a coating which exhibited optimal ionic and electronic conductivities.

Generally, differences in ranges will not support the patentability of subject matter encompassed by the prior art unless there is evidence indicating such ranges is critical. In re Boesch, 617 F.2d 272, 205 USPQ 215 (CCPA 1980). In re Aller, 220 F.2d 454, 456, 105 USPQ 233, 235 (CCPA 1955). In re Hoeschele, 406 F.2d 1403, 160 USPQ 809 (CCPA 1969). It has been held that when the difference between a claimed invention and the prior art is the range or value of a particular variable, then a prima facie rejection is properly established when the difference in the range or value is minor. Titanium Metals Corp. of Am. v. Banner, 778 F.2d 775, 783, 227 USPQ 773, 779 (Fed. Cir. 1985).

Regarding the product-by-process feature of mechanofusing the coating to the core:

Hisashi teaches of using mechanofusion to apply a shell coating to an active material particle (para. 46). Fujimoto also recognized the use of mechanofusion

Art Unit: 1795

systems for fabricating active material in batteries (paras. 19, 21, 24, 25). JP '151 recognized the use of a mechanofusion process to coat a core active particle used as an active material in a battery (abstract and Figs. 1-3). Park also recognized the use of mechanofusion systems for fabricating active material in batteries (fig. 10 and para. 35).

Mechanofusing a surface coating onto a base particle for active materials is well recognized in the art by at least the teachings of Hisashi, Fujimoto, JP '151 and Park and would have provided a variety of recognized benefits. In the process, particles are introduced into a mechanofusion system such as that shown in Fig. 10 of Park.

Particles are then trapped between the wall and a rotating inner head; the shearing force the particles experience in this gap causes them to fuse together. The resulting partially fused (coated) particles are constantly recycled to obtain uniform surface coverage. When used for encapsulating electroactive particles the process encourages the formation of encapsulated electroactive particles having improved adhesion between the coating and the base and also a more uniform aspect ratio, as the shearing force also smoothes the finished particles.

Therefore it would have been obvious to one of ordinary skill in the art at the time the claimed invention was made to modify the teachings of JP '643 by forming the coating on the core particles using a mechanofusion process as suggested by either Hisashi, Fujimoto, JP '151 or Park since it would have provided a shell having improved adhesion between the core and the coating.

Response to Arguments

Art Unit: 1795

6. Applicant's arguments filed February 9, 2009 have been fully considered but they are not persuasive.

Applicant argues that Nagura (JP '643) does not teach or fairly suggest the weight relationship of the independent claims.

The Examiner respectfully disagrees.

In the various examples of JP '643, the fundamental teachings therein are of a core active material particle mass which is present in a remarkably greater weight percentage than the composite coating applied to the core particle. Note that the core particles are present in an amount of 10 grams and the coating materials applied to the core are cumulatively less than 3 grams. Thus the teachings of the weight ratio of the core to shell is at least 70:30 (core weight:shell weight).

The fact that JP '643 does not mention that this particular weight ratio optimizes the coatability and conductivity does not mean that the prior art does not teach the same ratios. There is no requirement that a person of ordinary skill in the art would have recognized the inherent disclosure at the time of invention, but only that the subject matter is in fact inherent in the prior art reference. *Schering Corp. v. Geneva Pharm. Inc.*, 339 F.3d 1373, 1377, 67 USPQ2d 1664, 1668 (Fed. Cir. 2003). MPEP § 2112.

Again it is held that JP '643 does reasonably teach a core to coating weight ratio which heavily favors the core weight and based on the weights described in JP '643 would result in core to coating ratios within the claimed range.

Therefore this argument is not persuasive.

Regarding the product-by-process feature of mechanofusing the coating to the core:

Hisashi teaches of using mechanofusion to apply a shell coating to an active material particle (para. 46). Fujimoto also recognized the use of mechanofusion systems for fabricating active material in batteries (paras. 19, 21, 24, 25). JP '151 recognized the use of a mechanofusion process to coat a core active particle used as an active material in a battery (abstract and Figs. 1-3). Park also recognized the use of mechanofusion systems for fabricating active material in batteries (fig. 10 and para. 35).

Mechanofusing a surface coating onto a base particle for active materials is well recognized in the art by at least the teachings of Hisashi, Fujimoto, JP '151 and Park and would have provided a variety of recognized benefits. In the process, particles are introduced into a mechanofusion system such as that shown in Fig. 10 of Park. Particles are then trapped between the wall and a rotating inner head; the shearing force the particles experience in this gap causes them to fuse together. The resulting partially fused (coated) particles are constantly recycled to obtain uniform surface coverage. When used for encapsulating electroactive particles the process encourages the formation of encapsulated electroactive particles having improved adhesion between the coating and the base and also a more uniform aspect ratio, as the shearing force also smoothes the finished particles.

Therefore it would have been obvious to one of ordinary skill in the art at the time the claimed invention was made to modify the teachings of JP '643 by forming the coating on the core particles using a mechanofusion process as suggested by either

Art Unit: 1795

Hisashi, Fujimoto, JP '151 or Park since it would have provided a shell having improved adhesion between the core and the coating.

The additional recitation of the claimed surface mixture being a mechanofused mixture is not held to patentably distinguish the claimed invention over the prior art rejections of record since the concept of mechanofusing active materials in batteries and coatings onto active material particles is well known in the art (as shown by each of Hisashi, Fujimoto, JP '151 or Park).

Applicant further argues that neither Yamaura, Takada or Mohwald teach or suggest using lithium phosphate or lithium iron phosphate as a coating of an active material particle.

In response to applicant's arguments against the references individually, one cannot show nonobviousness by attacking references individually where the rejections are based on combinations of references. See *In re Keller*, 642 F.2d 413, 208 USPQ 871 (CCPA 1981); *In re Merck & Co.*, 800 F.2d 1091, 231 USPQ 375 (Fed. Cir. 1986).

As discussed above, JP '643 teaches of the fundamental concept of coating an active material particle with a composite coating of an ion-conducting material and a carbonaceous electron conductive material. Thus the reference teaches that lithium ion conductors can be applied to the active material to improve the ion conductivity of the individual active material particles.

Yamaura, Takada or Mohwald are provided to show that lithium phosphate or lithium iron phosphate are known in the art as lithium ion conducting materials.

Art Unit: 1795

Therefore one of ordinary skill in the art would have had ample motivation from the prior art to use a variety of lithium ion conducting materials as the coating material in JP '643 including known lithium ion conducting materials such as lithium iron phosphate and lithium phosphate with a reasonable expectation of success.

Applicant fails to provide any convincing arguments as to the combination of JP '643 in view of either Yamaura, Takada or Mohwald and the Examiner maintains that the use of these art recognized ion conducting materials in the shell of JP '643 would have been well within the skill of the ordinary worker in the art, absent clear evidence to the contrary.

Therefore the claimed invention is still held to be obviated by the prior art relied in the rejections above.

Conclusion

7. **THIS ACTION IS MADE FINAL.** Applicant is reminded of the extension of time policy as set forth in 37 CFR 1.136(a).

A shortened statutory period for reply to this final action is set to expire THREE MONTHS from the mailing date of this action. In the event a first reply is filed within TWO MONTHS of the mailing date of this final action and the advisory action is not mailed until after the end of the THREE-MONTH shortened statutory period, then the shortened statutory period will expire on the date the advisory action is mailed, and any extension fee pursuant to 37 CFR 1.136(a) will be calculated from the mailing date of the advisory action. In no event, however, will the statutory period for reply expire later than SIX MONTHS from the mailing date of this final action.

Art Unit: 1795

8. Any inquiry concerning this communication or earlier communications from the examiner should be directed to Gregg Cantelmo whose telephone number is 571-272-1283. The examiner can normally be reached on Monday to Thursday, 8:30-6:30.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Pat Ryan can be reached on 571-272-1292. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

/Gregg Cantelmo/
Primary Examiner, Art Unit 1795